## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims**:

- 1. (Original) A process for preparing a fluorine containing copolymer by an emulsion polymerization method in the presence of a pH modifier wherein the pH modifier is aqueous ammonia.
- 2. (Original) The process for preparing a fluorine containing copolymer according to claim 1 wherein a cationic surfactant and a water soluble organic solvent are used as a coagulating agent, in the preparation of the fluorine containing copolymer by coagulating a fluorine containing copolymer in a fluorine containing copolymer dispersed aqueous solution prepared by the emulsion polymerization method.
- 3. (Currently Amended) The process for preparing a fluorine containing copolymer according to claim 2 wherein the cationic surfactant is represented by the following formula:

 $(R_4N^{\dagger})X^{\dagger}$ 

in the formula, R is any one of an alkyl group of 1 to 22 carbon atoms, a fluoroalkyl group obtainable by fluorine replacement of at least one part of hydrogen atoms present in the alkyl group, and a hydrogen atom, four R's may be the same or different, provided that four R's are not hydrogen atoms simultaneously, and  $\times X$  is a halogen atom.

- 4. (Currently Amended) The process for preparing a fluorine containing copolymer according to any one of claims 1 to 3claim 1 wherein the emulsion polymerization is carried out in the presence of an anionic surfactant as an emulsifying agent.
- 5. (Currently Amended) A fluorine containing copolymer obtainable by a process as claimed in any one of claims 1 to 4claim 1 and having a metal element concentration of not more than 1 ppm.

Application No. Not Yet Assigned Paper Dated September 23, 2005 In Reply to USPTO Correspondence of N/A Attorney Docket No. 1217-052603

- 6. (Original) A fluorine containing copolymer melt molded article obtainable by melt molding a fluorine containing copolymer as claimed in claim 5.
- 7. (Original) A fluorine containing cross-linking molded article obtainable by cross-linking molding a fluorine containing copolymer as claimed in claim 5.
- 8. (New) The process for preparing a fluorine containing copolymer according to claim 2 wherein the emulsion polymerization is carried out in the presence of an anionic surfactant as an emulsifying agent.
- 9. (New) The process for preparing a fluorine containing copolymer according to claim 3 wherein the emulsion polymerization is carried out in the presence of an anionic surfactant as an emulsifying agent.
- 10. (New) A fluorine containing copolymer obtainable by a process as claimed in claim 2 and having a metal element concentration of not more than 1 ppm.
- 11. (New) A fluorine containing copolymer obtainable by a process as claimed in claim 3 and having a metal element concentration of not more than 1 ppm.
- 12. (New) A fluorine containing copolymer obtainable by a process as claimed in claim 4 and having a metal element concentration of not more than 1 ppm.
- 13. (New) A fluorine containing copolymer melt molded article obtainable by melt molding a fluorine containing copolymer as claimed in claim 11.
- 14. (New) A fluorine containing copolymer melt molded article obtainable by melt molding a fluorine containing copolymer as claimed in claim 12.

Application No. Not Yet Assigned Paper Dated September 23, 2005 In Reply to USPTO Correspondence of N/A Attorney Docket No. 1217-052603

- 15. (New) A fluorine containing cross-linking molded article obtainable by cross-linking molding a fluorine containing copolymer as claimed in claim 11.
- 16. (New) A fluorine containing cross-linking molded article obtainable by cross-linking molding a fluorine containing copolymer as claimed in claim 12.